



# DART®

New Products.

2023

# Universal quick release arbor.

Ultimate universal quick release arbor for all brands of holesaw

## FEATURES

Unique quick release system for rapid holesaw change

Easy locking system for secure drilling

Replaceable pilot drill for long arbor life

Fits all brands of pilot drill


Fits all brands of holesaw including: Bosch, Starrett, Makita, DeWalt, Milwaukee, Lenox, Heller, CK

## UNIVERSAL QUICK RELEASE ARBOR

Product Code	Size mm	Shank Size	Includes / Pk size
DPUQRASET	A1 Collars - 14-30mm, A2 Collars - 32-210mm	9,5mm	1x Arbor, 2x A1 Collars, 2x A2 Collar, 1x Hex Key
DPUQRACA1	To fit 14-30mm holesaws	n/a	Pk. 3
DPUQRACA2	To fit 32-210mm holesaws	n/a	Pk. 3



**UNI-FIT**  
**RAPID CHANGE**



Displays 8 sets



SEE IN ACTION



# Carbide tipped holesaws.

Carbide tipped holesaw for extreme long life and durability



## FEATURES

Tungsten carbide teeth and solid body design for industrial use


Extreme long life and durability in stainless steel and tough alloys

Fast and accurate cutting action

Short series suitable for cutting materials up to 5mm thick, long series suitable for cutting materials up to 25mm thick

Internal spring for continuous drilling without clogging

Hex key included



## CARBIDE TIPPED HOLESAWS - LONG SERIES

Product Code	Size mm	Cutting Depth mm
DCTHL016	16	25
DCTHL018	18	25
DCTHL019	19	25
DCTHL020	20	25
DCTHL022	22	25
DCTHL025	25	25
DCTHL028	28	25
DCTHL030	30	25
DCTHL032	32	25
DCTHL035	35	25
DCTHL038	38	25
DCTHL040	40	25
DCTHL045	45	25
DCTHL050	50	25
DCTHL060	60	25
DCTHL065	65	25
DCTHL070	70	25
DCTHL075	75	25

## CARBIDE TIPPED HOLESAWS - SHORT SERIES

Product Code	Size mm	Cutting Depth mm
DCTHS014	14	5
DCTHS016	16	5
DCTHS020	20	5
DCTHS022	22	5
DCTHS025	25	5
DCTHS032	32	5

# Annular cutters.

Popular range of precision made annular cutters for mag drills



## FEATURES

Unique cutter geometry for fast hole cutting

Fully ground finish

3/4" Weldon Shank

Unique tooth geometry, for optimum tool life and cutting speed


Ideal for mild steel and softer metals including mild steel, structural steel, construction steel, aluminium, copper/brass, plastics

High wear resistance and suitable for most drilling applications

Suitable for site and construction work, bridge building and repair, truck and vehicle fabrication and general fabrication applications

Manufactured in the UK

Annular cutter pins sold separately



## ANNULAR CUTTERS



Product Code	Diameter mm	Cutting Length mm	Long/Short Series	Shank Size
DAC12030	12	30	Short Series	3/4"
DAC13030	13	30	Short Series	3/4"
DAC14030	14	30	Short Series	3/4"
DAC16030	16	30	Short Series	3/4"
DAC18030	18	30	Short Series	3/4"
DAC20030	20	30	Short Series	3/4"
DAC22030	22	30	Short Series	3/4"
DAC24030	24	30	Short Series	3/4"
DAC25030	25	30	Short Series	3/4"
DAC30030	30	30	Short Series	3/4"
DAC32030	32	30	Short Series	3/4"
DAC18050	18	50	Long Series	3/4"
DAC24050	24	50	Long Series	3/4"
DAC25050	25	50	Long Series	3/4"



## ANNULAR CUTTER PILOT PINS

Product Code	Length
DACPPL63097	Long - 97mm
DACPPS63076	Short - 76mm

SEE IN ACTION








Carbide tipped holesaw - see page 3

# Compact Gold TCT wood saw blades – thin kerf.

Professional TCT thin kerf blades designed for cordless machines to reduce power drain

**ADVANCE▶  
/// RUNTIME**



## FEATURES

Thin kerf for increased efficiency and runtime on cordless machines

Quality blades featuring an alternate top bevel (ATB) tooth configuration for the professional tradesman

Unique 'gold' coating creates ultra low friction and wear resistance

Reamed bore ensures precise fit to spindle

Front bevel tooth form for a superior quality of cut

Suitable for use on rip saws

Anti-kickback for smooth action & safety during use

Body hardened and tempered to maintain trueness

Suitable for cutting softwood, hardwood, particle board, MDF, hardboard and plywood

Reducing rings available

## GOLD TCT WOOD BLADES - THIN KERF

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type	Cut Type
STK851524	85	15	24	1.0	0.7	ATB	■
STK1159524	115	9.5	24	1.5	1.0	ATB	■



## CUT TYPE

- WOOD – Coarse finish      ■ WOOD – Medium Finish
- WOOD – Fine Finish      ■ WOOD – Extra Fine Finish
- ALU/PLASTIC/LAMINATES – Fine Finish



Expansion Slots



Axial Front Shear Cutting Angle



Ventilation Ports



Embedded Tungsten Tip



Hardened Steel Saw Blade



Chip Limiter Tooth



# Compact PCD fibre cement saw blades.

Quality Poly Crystalline Diamond (PCD) fibre cement saw blades with flat teeth configuration for use in specialist applications, providing durability and long life




## FEATURES

Extra large gullet design minimises dust and improves removal of material

Smoother, cleaner and more accurate cutting



\*Lasts up to 15 times longer compared to a standard TCT blade

Suitable for cutting aggregate decking, composite decking, compressed concrete, MDF, fibre cement and other ultra hard materials - Trespa, HardiePlank, Minerit, Eternit and Corian



## DIAMOND (PCD) BLADES

Product Code	Diameter mm	Bore mm	Teeth	Kerf mm	Body mm	Type	RPM
PCD1159524	115	9.5	4	1.6	1.0	PCD	12000



# 10 piece reciprocating blade set.


Popular range of precision made blades designed for a variety of applications



## FEATURES


Popular range of precision made blades designed for a wide variety of applications

Suitable for: Dewalt, Makita, Milwaukee, Bosch, Hilti, Black+Decker, Flex, Skil, Einhell, Sealey, Ryobi, Hikoki, Metabo, Evolution, Draper



## 10PC RECIPROCATING BLADE SET

Product Code	Contents
DRBSET10	2x DRB52 (S644D), 2x DRB53 (S1111K), 2x DRB72 (S1122VF), 2x DRB73 (S922BF), 2x DRB75 (S1122EF)





# Premium router cutters.

Premium router cutters designed to give a precise and clean cut with the added advantage of tungsten carbide for long life

## PREMIUM STRAIGHT PLUNGE ROUTER CUTTERS

### FEATURES

PTFE anti-stick coating on body to minimise resin and heat build up



Designed for plunging for easy and precise vertical cutting, expanding its versatility for various routing tasks

Ideal for housing, grooving, and mortising applications

Robust construction ensures extended lifespan, especially when cutting highly abrasive materials

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods

\*Not suitable for plunging



Product Code	Shank Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR394*	1/2"	12.7mm	50.8mm	96mm	24000	Pk. 1
PDAR395	1/2"	12.7mm	51mm	96mm	24000	Pk. 1
PDAR396	1/2"	12.7mm	51mm	96mm	24000	Pk. 3
PDAR393	1/2"	12.7mm	63mm	108mm	24000	Pk. 1
PDAR398	1/2"	6mm	16mm	61mm	24000	Pk. 1
PDAR399	1/2"	8mm	20mm	65mm	24000	Pk. 1
PDAR387	1/2"	10mm	25mm	70.50mm	24000	Pk. 1
PDAR388	1/2"	15mm	25mm	70mm	24000	Pk. 1
PDAR520	1/4"	6mm	16mm	53mm	24000	Pk. 1
PDAR530	1/4"	10mm	20mm	54mm	24000	Pk. 1
PDAR540	1/4"	12mm	20mm	54mm	24000	Pk. 1
PDAR550	1/4"	15mm	25mm	59mm	24000	Pk. 1
PDAR560	1/4"	20mm	20mm	54mm	24000	Pk. 1





## PREMIUM SOLID TUNGSTEN CARBIDE ROUTER CUTTER

### FEATURES



PTFE anti-stick coating on body to minimise resin and heat build up

Designed for plunging for easy and precise vertical cutting, expanding its versatility for various routing tasks

Ideal for housing, grooving, and mortising applications

Robust construction ensures extended lifespan, especially when cutting highly abrasive materials

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods



Product Code	Shank Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR510	1/4"	5mm	16mm	60mm	24000	Pk. 1

## PREMIUM INTUMESCENT ROUTER CUTTERS



### FEATURES



PTFE anti-stick coating on body to minimise resin and heat build up

Enables accurate and clean groove cutting for seamless integration of intumescent strips into doors, frames, or other fire-rated applications

Durable construction allows for prolonged use when cutting grooves, ensuring long-lasting performance

Designed with specialized geometry for optimal chip removal and precise groove formation

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods



Product Code	Shank Size	Bearing Size	Diameter	Working Length	Overall Length	Cut Depth	RPM n.max	Quantity
PDAR390	1/2"	32mm	40mm	10mm	66.5mm	4mm	18000	Pk. 1
PDAR391	1/2"	32mm	40mm	15mm	71.5mm	4mm	18000	Pk. 1
PDAR392	1/2"	32mm	40mm	20mm	76.5mm	4mm	18000	Pk. 1
PDAR570	1/4"	16mm	24mm	10mm	53.5mm	4mm	24000	Pk. 1
PDAR580	1/4"	16mm	24mm	15mm	58.5mm	4mm	24000	Pk. 1



## PREMIUM GUIDED OVOLO ROUTER CUTTERS



### FEATURES

PTFE anti-stick coating on body to minimise resin and heat build up

Specifically designed for guided ovolo routing, enabling precise and decorative edge profiles



Ensures clean and smooth cuts when creating ovolo-shaped edges. Commonly used in joinery and cabinet making for decorative finishes

Designed to follow templates or edge guides with the help of a bearing attached to the shank

Durable construction allows for prolonged use ensuring long-lasting performance

Designed with precision-guided features for accurate and consistent ovolo routing, delivering professional results

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods



Product Code	Shank Size	Bearing Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR610	1/4"	9.5mm 12.7mm	18.7mm	9.5mm	53.5mm	24000	Pk. 1
PDAR590	1/4"	9.5mm 12.7mm	25.4mm	12.7mm	56mm	24000	Pk. 1
PDAR630	1/4"	9.5mm 12.7mm	31.8mm	16.7mm	60mm	18000	Pk. 1

## PREMIUM DRAINER GROOVE ROUTER CUTTER



### FEATURES



Specifically designed for creating precise drainer grooves in countertops or other work surfaces for efficient water drainage

Durable construction allows for prolonged use when cutting drainer grooves, ensuring long-lasting performance

PTFE coating minimizes resin and heat accumulation for enhanced performance

Designed with specialized geometry for efficient chip removal and precise groove formation, optimizing water flow and drainage

Suitable for cutting Hard & Soft Wood, Plywood, Construction Timber, Laminated Chipboard, Veneered Wood, MDF



Product Code	Shank Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR397	1/2"	19mm	32mm	76mm	24000	Pk. 1

## PREMIUM 45° CHAMFER ROUTER CUTTER



### FEATURES

PTFE anti-stick coating on body to minimise resin and heat build up



Specifically designed to create precise and uniform chamfered edges at a 45-degree angle

Designed to follow templates or edge guides with the help of a bearing attached to the shank

Durable construction allows for prolonged use ensuring long-lasting performance

Designed with precision-guided features for accurate and consistent routing, delivering professional results

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods



Product Code	Shank Size	Bearing Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR620	1/4"	9.5mm	31.8mm	12mm	55mm	18000	Pk. 1

## PREMIUM BISCUIT ROUTER CUTTER



### FEATURES



PTFE anti-stick coating on body to minimise resin and heat build up

Precise and consistent cutting of slots to accommodate biscuit-shaped wooden or composite biscuits


Design of the cutter ensures clean and accurate cuts, resulting in tight-fitting biscuit joints for improved structural integrity

Designed with precision-guided features for accurate and consistent routing, delivering professional results

Suitable for use on abrasive materials like chipboard, MDF, plywood, and select hardwoods



Product Code	Shank Size	Bearing Size	Diameter	Working Length	Overall Length	RPM n.max	Quantity
PDAR650	1/4"	12.7mm 15.8mm 19mm	37.2mm	4mm	64mm	18000	Pk. 1



Premium router cutters - see page 10-13



# Driver bit sets.

Versatile and durable driver bit sets for the professional tradesman



DDIBS-4202

**DART Impact Driver Bit Set 42pc**

25mm: PH1, PH2 x2, PH3, PZ1, PZ2 x2, PZ3, T8, T9, T10, T15, T20, T25, T30, T40, H2.0, H2.5, H3.0, H4.0, H5.0, H6.0, SL0.6x4.5, SL0.8x5.5, SL1.0x5.5, SL1.2x6.5, SQ2  
50mm: PH2, PZ1, PZ2, PZ3, T15, T20, T25  
89mm: PH2 x2, PZ1, PZ2, T20, T25  
25mm Socket Adaptor 1/4"  
Magnetic Bit Holder (54mm)



DDIBS-3101

**DART Impact Driver Bit Set 31pc**


25mm: PH1, PH2 x2, PH3, PZ1, PZ2 x2, PZ3, T8, T9, T10, T15, T20 x2, T25, T30, T40, T45, H2.0, H2.5, H3.0, H4.0, H5.0, H6.0, SL0.6x4.5, SL0.8x5.5, SL1.0x5.5, SL1.2x6.5  
25mm Socket Adaptor 1/4"  
Magnetic Bit Holder (54mm)



DDIBS-1802

**DART Impact Driver Bit Set 18pc**

25mm: PH1, PH2, PZ2, PZ3, T20, T25, H4.0, H5.0, H6.0, SL1.0x5.5, SL1.2 x 6.5  
50mm: PZ1, PZ2, PZ3, T20, T25  
Magnetic Bit Holder (54mm)



DDSBS-3302

**DART Driver Bit Set 33pc**

25mm: PH1, PH2, PZ1, PZ2, PZ3, T8, T9, T10, T15, T20, T25, T30, H3.0, H4.0, H5.0, H6.0, SL1.8x5.5, SQ2  
50mm: PH2, PZ1, PZ2, PZ3, T20, T25, H4.0, H5.0  
25mm Socket Adaptor 1/4"  
Magnetic Nut Setters (48mm): 6.8, 10 mm  
Magnetic Bit Holder (2-3/8")



DDIBDS-3201

**DART Impact Driver Bit and Drill Set 32pc**

25mm: PH2, PH3, PZ2 x2, PZ3, T20, T25, T30  
50mm: PH1, PH2 x2, PH3, PZ1, PZ2 x3, PZ3 x2, T15, T20, T25, T30, T40  
HSS Drill Bits: 2mm, 3mm x2, 4mm, 5mm, 6mm x2, 7mm  
Magnetic Bit Holder



DDSBS-2702

**DART Driver Bit Set 27pc**

25mm: PH1, PH2, PH3, PZ1, PZ2, PZ3, T10, T15, T20, T25, T30, H2.5, H3.0, H4.0, H5.0, H6.0, SL6x4, SL1.0x5.5, SL1.2x6.5  
Sockets: 6, 7, 8, 10, 13 mm  
Socket adaptor: 1/4"  
Mini ratcheting wrench

## FEATURES

Durable and long lasting

Compact case for easy organisation and storage

A wide variety of driver bits to suit all screwdriving applications

## DRIVER BIT SETS

Product Code	Description	Quantity
DDIBS-1802	DART Impact driver bit set 18pc	Pk. 1 Pk. 10 (counter display)
DDIBS-3101	DART Impact driver bit set 31pc	Pk. 1 Pk. 10 (counter display)
DDIBS-4202	DART Impact driver bit set 42pc	Pk. 1 Pk. 6 (counter display)
DDSBS-2702	DART Driver bit set 27pc	Pk. 1 Pk. 10 (counter display)
DDSBS-3302	DART Driver bit set 33pc	Pk. 1 Pk. 6 (counter display)
DDIBDS-3201	DART Impact driver bit and drill set 32pc	Pk. 1 Pk. 6 (counter display)

# X Turbo Cut & Grind Diamond Blades.

A multi-purpose diamond blade for both cutting and grinding

## FEATURES

Cuts like a traditional diamond blade and grinds like a cup grinder


Easy to use and long-lasting

Fitted with M14 threaded flange to connect directly onto angle grinder


X Turbo design for premium cut and finish

Can be used for straight cutting, flush cutting, grinding, edge grinding and shaping

Suitable for use on building materials including stone, marble, tile, porcelain and granite



**PRO** 



## PRO X TURBO CUT & GRIND DIAMOND BLADES

Product Code	Diameter mm	Fitting	Segment Height mm
DB0600	115	M14	8
DB0610	230	M14	8



SEE IN ACTION



DIAMOND  
INNOVATION



DUST REMOVAL  
TECHNOLOGY



SELF COOLING



13236



CERTI

# M14 porcelain holesaws.

Quality range of diamond holesaws for durability and long life in hard materials



## FEATURES

High-grade exposed diamond ensures rapid cutting speed, enabling efficient and swift hole cutting

The tough alloy body of the cutter ensures durability and long-lasting performance, even in demanding cutting applications

Automatic waste ejection feature enables multiple hole cutting, improving productivity

No drill guide required

No continuous water feed required


Equipped with an M14 fitting specifically designed for compatibility with angle grinders, providing versatile and easy integration

### USER INSTRUCTIONS:

Start cutting at an angle

Cut in a circular motion to enhance dust removal

## ULTRA




## M14 PORCELAIN HOLESAWS

Product Code	Diameter mm	Type
710006-1	6	M14
710007-1	7	M14
710008-1	8	M14
710010-1	10	M14
710012-1	12	M14
710020-1	20	M14
710028-1	28	M14
710035-1	35	M14
710043-1	43	M14
710050-1	50	M14
710060-1	60	M14
710065-1	6	M14
710068-1	68	M14
710075-1	75	M14

## M14 PORCELAIN HOLESAW ADAPTOR

Product Code	Type
710HADP	M14 to Hex Adapter







---

















# Nails & Gas range:

The DART range of nails is suitable for all popular makes of nail guns, available in a wide range of sizes, with or without gas cells, DART give you a better choice.

# Application chart.

Suitable for use in 34° cordless and pneumatic clipped head first fix nailers.

## 34° CLIPPED D-HEAD NAILS & GAS

TYPE	SERVICE CLASS	INDOOR	COVERED OUTDOOR	OUTDOOR	HIGH CORROSIVE
Galvanised	Service Class 1				
Galvanised+	Service Class 2				
Hot Dipped Galvanised	Service Class 3				
A2 Stainless Steel	Service Class 3				

### BEST PRACTICES:

Keep the cordless or pneumatic nailer clean and well-maintained. Regularly inspect and lubricate the nailer as per the manufacturer's recommendations.

Position the cordless or pneumatic nailer firmly against the surface to be nailed and align it properly with the target area.

Avoid overloading the nailer's magazine with too many nails. Follow the manufacturer's instructions for the maximum nail capacity to prevent jams and malfunctions.

Do not use damaged or bent nails in the nailer, as they can cause jams, misfires, or other issues. Inspect and discard any nails that are defective.

Avoid excessive force or overdriving nails with the nailer. Follow the recommended nail depth and do not force the tool to drive nails deeper than necessary.





RELEASE AFTER LOADING  
DART®  
darttoolgroup.com  
Approach met interne verandering. Inzet te gebruiken in een veilige omgeving.  
Verwijng met behorende gereedschap. Alleen geschikt voor gebruik op de afgebeelde afmetingen.  
Verwijng met behorende gereedschap. Alleen geschikt voor gebruik op de afgebeelde afmetingen.  
Verwijng met behorende gereedschap. Alleen geschikt voor gebruik op de afgebeelde afmetingen.  
L'attacco con il cambio di forma. Usare solo con gli utensili indicati.  
DART van zijn afgebeelde afmetingen.



# 1st fix nails & gas.

1st Fix 34° clipped D-head galvanised nails and gas cells



## FEATURES

**Galvanised Nails:** Electro-galvanised plated nails suitable for indoor applications. Conforms to service class 1

**Galvanised Plus Nails:** Electro-galvanised plated nails with a minimum of 12 microns of zinc. Suitable for indoor and covered outdoor applications. Conforms to service class 2

**Hot Dipped Galvanised Nails:** Electro-galvanised plated nails with a minimum of 1.7mm of zinc coating to prevent corrosion and enhance driveability. Suitable for use in all indoor and outdoor applications. Conforms to service class 3

**A2 Stainless steel nails:** For use in corrosive environments or where the base material has corrosive characteristics for example, green oak or cedar. Suitable for use in outdoor applications. Conforms to service class 3

Suitable for use in most cordless nailers

Diamond point for maximum penetration

High quality paper strip increases performance and reduces nail jam

UKCA and CE compliant

Ring shanked nails provide secure fixing with super high pull out resistance

Straight shank nails allow low resistance in to all materials

## GALVANISED NAILS - SERVICE CLASS 1 CARDBOARD BOXES WITH GAS



Product Code	Description	Nail Quantity	Gas Quantity
FN50RG	2.8 x 50mm Ring Shank Galvanised Nails & Gas	3300	3
FN64RG	2.8 x 64mm Ring Shank Galvanised Nails & Gas	3300	3
FN6431RG	3.1 x 64mm Ring Shank Galvanised Nails & Gas	2200	2
FN75RG	3.1 x 75mm Ring Shank Galvanised Nails & Gas	2200	2
FN90SG	3.1 x 90mm Smooth Shank Galvanised Nails & Gas	2200	2

## GALVANISED NAILS - SERVICE CLASS 1 CARDBOARD BOXES WITHOUT GAS



Product Code	Description	Nail Quantity	Gas Quantity
FN50RG-NG	2.8 x 50mm Ring Shank Galvanised Nails (No Gas)	3300	0
FN64RG-NG	2.8 x 64mm Ring Shank Galvanised Nails (No Gas)	3300	0
FN75RG-NG	3.1 x 75mm Ring Shank Galvanised Nails (No Gas)	2200	0
FN90SG-NG	3.1 x 90mm Smooth Shank Galvanised Nails (No Gas)	2200	0







## GALVANISED NAILS - SERVICE CLASS 1 BUCKETS WITH GAS



Product Code	Description	Nail Quantity	Gas Quantity
F62-030	2.8 x 50mm Ring Shank Galvanised Nails & Gas	3300	3
F62-080	2.8 x 64mm Ring Shank Galvanised Nails & Gas	3300	3
F62-090	3.1 x 64mm Ring Shank Galvanised Nails & Gas	2200	2
F62-140	3.1 x 75mm Ring Shank Galvanised Nails & Gas	2200	2
F62-180	3.1 x 90mm Smooth Shank Galvanised Nails & Gas	2200	2



## GALVANISED NAILS - SERVICE CLASS 1 HANDY PACK WITH GAS



Product Code	Description	Nail Quantity	Gas Quantity
F62-035	2.8 x 50mm Ring Shank Galvanised Nails & Gas Handy Pack	1100	1
F62-085	2.8 x 64mm Ring Shank Galvanised Shank Galvanised Nails & Gas Handy Pack	1100	1
F62-145	3.1 x 75mm Ring Shank Galvanised Nails & Gas Handy Pack	1100	1
F62-185	3.1 x 90mm Smooth Shank Galvanised Nails & Gas Handy Pack	1100	1



## GALVANISED PLUS - SERVICE CLASS 2 CARDBOARD BOXES WITH GAS



Product Code	Product Description	Nail Quantity	Gas Quantity
FN50RGP	2.8 x 50mm Ring Shank Galvanised Plus Nails & Gas	3300	3
FN64RGP	2.8 x 64mm Ring Shank Galvanised Plus Nails & Gas	3300	3
FN643IRGP	3.1 x 64mm Ring Shank Galvanised Plus Nails & Gas	2200	2
FN75RGP	3.1 x 75mm Ring Shank Galvanised Plus Nails & Gas	2200	2
FN90SGP	3.1 x 90mm Smooth Shank Galvanised Plus Nails & Gas	2200	2

## GALVANISED PLUS - SERVICE CLASS 2 CARDBOARD BOXES WITHOUT GAS



Product Code	Product Description	Nail Quantity	Gas Quantity
FN50RGP-NG	2.8 x 50mm Ring Shank Galvanised Plus Nails (No Gas)	3300	0
FN64RGP-NG	2.8 x 64mm Ring Shank Galvanised Plus Nails (No Gas)	3300	0
FN643IRGO-NG	3.1 x 64mm Ring Shank Galvanised Plus Nails (No Gas)	2200	0
FN75RGP-NG	3.1 x 75mm Ring Shank Galvanised Plus Nails (No Gas)	2200	0
FN90SGP-NG	3.1 x 90mm Smooth Shank Galvanised Plus Nails (No Gas)	2200	0



## GAS CELLS

Product Code	Description	Quantity
RED1	1st Fix Single Gas Cell	1



**HOT DIPPED GALVANISED - SERVICE CLASS 3  
CARDBOARD BOXES WITH GAS**



Product Code	Product Description	Nail Quantity	Gas Quantity
<b>FN50RHDG</b>	2.8 x 50mm Hot Dipped Smooth Shank Galvanised Nails & Gas	3300	3
<b>FN64RHDG</b>	2.8 x 64mm Hot Dipped Ring Shank Galvanised Nails & Gas	3300	3
<b>FN75RHDG</b>	3.1 x 75mm Hot Dipped Ring Shank Galvanised Nails & Gas	2200	2
<b>FN90SHDG</b>	3.1 x 90mm Hot Dipped Smooth Shank Galvanised Nails & Gas	2000	2

**HOT DIPPED GALVANISED - SERVICE CLASS 3  
CARDBOARD BOXES WITHOUT GAS**



Product Code	Product Description	Nail Quantity	Gas Quantity
<b>FN50RHDG-NG</b>	2.8 x 50mm Hot Dipped Smooth Shank Galvanised Nails (No Gas)	3300	0
<b>FN64RHDG-NG</b>	2.8 x 64mm Hot Dipped Ring Shank Galvanised Nails (No Gas)	3300	0
<b>FN75RHDG-NG</b>	3.1 x 75mm Hot Dipped Ring Shank Galvanised Nails (No Gas)	2200	0
<b>FN90SHDG-NG</b>	3.1 x 90mm Hot Dipped Smooth Shank Galvanised Nails (No Gas)	2200	0

**A2 STAINLESS STEEL - SERVICE CLASS 3  
CARDBOARD BOXES WITH GAS**



Product Code	Product Description	Nail Quantity	Gas Quantity
<b>FN50RSS</b>	2.8 x 50mm Ring Shank A2 Stainless Steel Nails & Gas	1100	1
<b>FN64RSS</b>	2.8 x 64mm Ring Shank A2 Stainless Steel Nails & Gas	1100	1
<b>FN80RSS</b>	3.1 x 80mm Ring Shank A2 Stainless Steel Nails & Gas	1100	1

**A2 STAINLESS STEEL - SERVICE CLASS 3  
CARDBOARD BOXES WITHOUT GAS**



Product Code	Product Description	Nail Quantity	Gas Quantity
<b>FN50RSS-NG</b>	2.8 x 50 Ring Shank A2 Stainless Steel Nails (No Gas)	1100	0
<b>FN64RSS-NG</b>	2.8 x 64 Ring Shank A2 Stainless Steel Nails (No Gas)	1100	0
<b>FN80RSS-NG</b>	3.1 x 80 Ring Shank A2 Stainless Steel Nails (No Gas)	1100	0











---

# Merchandise:

A range of work-wear, tool bags and other accessories that are designed for the professional. With your comfort and ease of use in mind, this range will ensure you and your tools are dressed for the occasion.

# DART Workwear Hoodie.


High quality premium hooded sweatshirt with elasticated cuffs, neckline and waistband



## FEATURES

- Brushed fleece inner
- Well padded, taped neckline for comfort

Very comfortable to wear and triple stitch seams give ultimate strength and durability



## DART WORKWEAR HOODIE

Product Code	Sizes
DARTHOODIE-M	M
DARTHOODIE-L	L
DARTHOODIE-XL	XL
DARTHOODIE-2XL	2XL

# DART Baseball Cap.

High quality premium brushed heavy cotton 6 panelled cap



## FEATURES

- One size
- Adjustable buckle on the back to adjust to head size



# DART Beanie Hat.

100% soft-touch acrylic beanie hat



## FEATURES

- One size
- Classic cuffed, double layer knit provides extra comfort and durability



## DART BASEBALL CAP

Product Code	Sizes
DTGCAP	One Size

## DART BEANIE HAT

Product Code	Sizes
DTGBEANIE	One Size

# DART Soft Shell Jacket.

High quality jacket made with 4% spandex for crease resistance



## FEATURES

TPU membrane allows for better breathability and gives water-proofing




Velcro adjustable cuff and soft collar material allow for added comfort

Lined with micro-fleece to retain warmth



## DART SOFT SHELL JACKET

Product Code	Sizes
DTGSCJ-M	M
DTGSCJ-L	L
DTGSCJ-XL	XL
DTGSCJ-2XL	2XL




# DART 18" Hard Base Zipped Tool Bag.

A waterproof, heavy duty 1680 + 600 denier zip tool bag with a rigid water-resistant base for protection against dirt and moisture

**FEATURES**

- Detachable shoulder strap for easy transportation
- Multiple internal and external pockets for easy organisation and tool storage



## DART 18" HARD BASE ZIPPED TOOL BAG

Product Code  
DTGHBTB






# DART 18" Open Tote Tool Bag.

An open tote tool bag with a heavy duty iron handle and strong sturdy bag construction

## FEATURES

Rigid water-resistant base for protection against dirt and moisture

The open tote design with multiple large and small pockets allows for easy organisation of tools



## DART 18" OPEN TOTE TOOL BAG

Product Code

DTGOTTB




# DART 24L Tool Back Pack.

A Heavy duty 600 denier backpack for tools to be carried securely. A long lasting, weather resistant bag that is ideal for commuting or moving around site

## FEATURES

2 padded shoulder straps for a weightless feel

Rigid water-resistant base protects against dirt and moisture



## DART 24L TOOL BACK PACK

Product Code

DTGTBP





# Tape measures.

Professional, robust tape measures with 30% thicker blade which triples the durability

## FEATURES

Magnetic ended hook making it easy to use when working with metal and enables the user to take a measurement single handed

Strong and positive recoil action


Rubber casing reduces breakage on impact

11 Accuracy Mark (Roman Numeral 2). This marker will give any site foreman confidence of the accuracy when using these tapes on site

The matt finish of the tape makes it much easier to read measurement

## TAPE MEASURES

Product Code	Size	Quantity
ATP05	5m (16 feet)	Pk. 1 Pk. 12 (counter display)
ATP08	8m (26 feet)	Pk. 1 Pk. 12 (counter display)







Compact saw blades - see page 6

---



Go to [darttoolgroup.com](https://darttoolgroup.com) to order

---

**Head Office**

1 Wheatfield Road  
Dunnikier Business Park  
Kirkcaldy  
Fife KY1 3PD

**Regional Office**

38 Royal Scot Road  
Pride Park  
Derby  
DE24 8AJ

**T** +44 (0)1592 652900

**T** +44 (0)1592 654854

**E** [sales@darttoolgroup.com](mailto:sales@darttoolgroup.com)